



U.S. Department of Transportation
Federal Motor Carrier Safety Administration

DRUG & ALCOHOL CLEARINGHOUSE
**Web Services Development Handbook
For State Driver Licensing Agencies**

Version 1.5



Prepared by:

Federal Motor Carrier Safety Administration
1200 New Jersey Avenue, SE
Washington, DC 20590

March 2024

Revision History

Revision Number	Document ID	Description of Change	Revision Date
1	Draft 1.0	Initial Draft	March 2022
2	Draft 1.1	<ul style="list-style-type: none"> • Addition of a certificate-based option for self-generation of JWTs • Updates to driver element • Details on elements to be included in push notifications 	April 2022
3	1.2	<ul style="list-style-type: none"> • Updates to the driver element • Updates to push attributes • Addition of new REST actions 	June 2022
4	1.3	<ul style="list-style-type: none"> • Minor corrections based on AAMVA feedback • Inclusion of Rescinds element in REST request responses to bring it into alignment with push notification • Addition of an error reporting service • Update to the pull by date service to target notification dates rather than creation dates 	March 2023
5	1.4	<ul style="list-style-type: none"> • Example test cases and test endpoints added • Portal authentication endpoint marked deprecated 	February 2024
6	1.5	<ul style="list-style-type: none"> • Clarification of ISO 8601 Format 	March 2024

List of Definitions

Term	Definition
JSON	A data interchange format used to store object data as a string.
JSON Web Token (JWT)	A token composed as a JSON object for providing user authentication.
Public Key Certificate	A file containing the public key component of the public/private key pair along with expiration and issuance data.
Public/Private Key Pairs	Also known as asymmetric keys, public/private key pairs are used for encrypting and decrypting data, as well as signing and verifying electronic signatures. Public keys can be distributed to anyone who requests them, while private keys must be kept private and secure.
State(s)	All of the States, the District of Columbia, the Commonwealth of Puerto Rico, the Commonwealth of the Northern Mariana Islands, American Samoa, Guam, and the Virgin Islands.

List of Abbreviations

Acronym	Definition
AAMVA	American Association of Motor Vehicle Administrators
CDL	Commercial driver's license
Clearinghouse	FMCSA CDL Drug and Alcohol Clearinghouse
CLP	Commercial learner's permit
CMV	Commercial motor vehicle
DOT	Department of Transportation
FMCSA	Federal Motor Carrier Safety Administration
ICD	Interface Control Document
JSON	JavaScript Object Notation
JWT	JSON Web Token
REST	Representational state transfer
RTD	Return-to-duty
SDLA	State Driver Licensing Agency
SOR	State of Record
SNS	Amazon Simple Notification Service
UTC	Coordinated Universal Time

Table of Contents

Revision History	2
List of Definitions	3
List of Abbreviations	4
Table of Contents	5
List of Tables	7
List of Figures	7
1 Introduction	8
1.1 Purpose and Scope	8
1.2 About the Clearinghouse	8
1.3 Background.....	8
1.4 Roles and Responsibilities.....	9
2 Accessing the Clearinghouse	10
2.1 Authenticating Web Service Requests	10
2.1.1 Generating a JWT with Portal Credentials	10
2.1.2 Generating a JWT Using a Client Certificate	10
3 Retrieving Driver Status Data from FMCSA	12
3.1 Endpoints	12
3.2 JWT Inclusion	12
3.2.1 Responses	12
3.2.2 Health Check.....	13
3.3 Driver Element.....	13
3.3.1 Driver Information Source	15
3.3.2 Notification Dates	15
3.4 Driver Status Requests	15
3.4.1 Search by Driver ID.....	16
3.4.2 Search by Country/Subdivision and License Number	16
3.4.3 Search by Country/Subdivision and Prohibited Status.....	17
3.4.4 Search by Country/Subdivision and Status Date	17
3.5 Error Reporting.....	18
3.5.1 Path	19
4 Receiving Data From FMCSA	20
4.1 POST Endpoint	20
4.1.1 Confirmation.....	20
4.1.2 POST Body	21
4.2 JSON Formatted Email	25
4.2.1 Confirmation.....	25
4.2.2 Message Body	26
4.3 Text Email	30
4.3.1 Confirmation.....	30
4.3.2 Message Body	30
5 Testing Your Connection	32
5.1 Example Test Data	32

5.2 Base Test Cases.....	33
Appendix A: Example Test Data	34
Appendix B: Additional Resources	36
Appendix C: References	37

List of Tables

Table 1-1. Roles and Responsibilities	9
Table 2-1. Authentication Request	Error! Bookmark not defined.
Table 2-2-2. Authentication Response	Error! Bookmark not defined.
Table 3-1. Request Response Codes	13
Table 3-2. Driver Status Element	13
Table 3-3. Search by Driver ID Request Body	16
Table 3-4. Search by Country/Subdivision and License Number Request Body	16
Table 3-5. Search by State and Prohibited Status Request Body	17
Table 3-6. Search by Country/Subdivision and Status Date Request Body	18
Table 3-7. Error Submission Request Body	18
Table 4-1 POST Endpoint Notification (more information)	21
Table 4-2. POST Endpoint Message Body	22
Table 4-3. POST Endpoint Message Attributes	24
Table 4-4 JSON Email Notification (more information)	27
Table 4-5. JSON Email Message Body	28
Table 4-6 JSON Email Message Attributes	29
Table 5-1 FMCSA Test Cases	33

List of Figures

Figure 4-1. Example subscription confirmation body	21
Figure 4-2. Example POST endpoint notification body	25
Figure 4-3. Example JSON email notification body	30
Figure 4-4. Example text email confirmation	30
Figure 4-5 Example test email notification body	31

1 Introduction

1.1 Purpose and Scope

This Web Services Development Handbook has been prepared by the Volpe National Transportation Systems Center (Volpe Center) for the Federal Motor Carrier Safety Administration (FMCSA) to guide and support States with the development of systems that will receive and retrieve driver status in the Drug and Alcohol Clearinghouse.

This handbook is for use by States who intend to set up a direct connection between their State IT systems and the Clearinghouse.

This handbook covers the following steps that States, or their third-party vendors, will need to take:

- Request an SDLA portal account.
- Interface with the Clearinghouse web service, which requires you to:
 - Authenticate with the service.
 - Submit requests for information.
 - Interpret service responses.
- Register for push notifications from the Clearinghouse push service.
- Receive and decode messages from the Clearinghouse push service.

1.2 About the Clearinghouse

FMCSA's Commercial Driver's License (CDL) Drug and Alcohol Clearinghouse (Clearinghouse) is a secure online database that gives employers, FMCSA, and State Driver Licensing Agencies (SDLAs) real-time information about CDL/CLP holder drug and alcohol program violations. The Clearinghouse improves safety on our Nation's roadways by making it more difficult for drivers to conceal their drug and alcohol program violations from current or prospective employers.

1.3 Background

The Moving Ahead for Progress in the 21st Century Act (MAP-21) mandated that the U.S. Department of Transportation establish, operate, and maintain a national clearinghouse for records relating to alcohol and controlled substances testing of commercial motor vehicle (CMV) operators. MAP-21 also required that States request information pertaining to the individual from the Clearinghouse before completing certain licensing transactions.

The first Clearinghouse final rule entitled [Commercial Driver's License Drug and Alcohol Clearinghouse](#), was published on December 5, 2016. This rule established the requirements for the Clearinghouse, including the requirements for reporting CDL/CLP holder drug and alcohol program violations, and requirements for employers to query the Clearinghouse to determine if a driver they hire or are considering hiring is prohibited from operating a CMV due to an unresolved drug and alcohol program violation. This rule was implemented on January 6, 2020, when the Clearinghouse became fully operational.

On October 7, 2021, the second Clearinghouse (Clearinghouse-II) final rule, entitled [Controlled Substances and Alcohol Testing: State Driver's Licensing Agency Non-](#)

[Issuance/Downgrade of Commercial Driver’s License](#), was published. This rule established the Clearinghouse requirements for SDLAs. Beginning November 18, 2024, SDLAs must query the Clearinghouse before issuing, renewing, upgrading, or transferring CDLs and CLPs, and to review a driver’s information when notified by the Clearinghouse of a status change. SDLAs will be required to remove the CLP or CDL privilege from the driver’s license of an individual subject to the CMV driving prohibition, which would result in a downgrade of the license until the driver complies with the return-to-duty (RTD) requirements.

1.4 Roles and Responsibilities

FMCSA, employers, drivers, service agents, and States all play important roles in the implementation of the second Clearinghouse final rule. See the table below for a brief overview of these roles and responsibilities.

Table 1-1. Roles and Responsibilities

FMCSA	<ul style="list-style-type: none"> • Develop and maintain the Clearinghouse. • Support state agencies adoption of Clearinghouse-II technical requirements.
Employers, MROs	<ul style="list-style-type: none"> • Register and create a Clearinghouse user account. • Submit violation information, as required. • Report negative RTD tests. • Employers only: Query Clearinghouse to determine if a CDL/CLP holder is prohibited from operating a CMV when hiring, and at least once annually.
SAPs	<ul style="list-style-type: none"> • Record CDL/CLP holder RTD information, including the date when a driver is eligible for RTD testing
SDLAs	<ul style="list-style-type: none"> • Query Clearinghouse data to verify a driver is not in a prohibited status before issuing, renewing, upgrading, or transferring CDLs and CLPs. • Query Clearinghouse data when notified by the Clearinghouse of a status change. • Remove CLP or CDL privilege from the driver’s license after receiving notification of prohibited status; record downgrade on the CDLIS driver record within 60 days of receiving notification. • Reinstate commercial driving privilege to the driver’s license and expunge the driving record accordingly when notified that an erroneous violation has been removed from the Clearinghouse. • Reinstate commercial driving privilege to the driver’s license when notified that the driver is no longer in the prohibited status (obtained negative RTD test result).
AAMVA	<ul style="list-style-type: none"> • Update CDLIS state procedures manual • Define CDLIS updates to support States requesting and receiving Clearinghouse data via CDLIS
Drivers	<ul style="list-style-type: none"> • Register and create a user account and respond to electronic consent requests from employers (consent not required for SDLA queries).

2 Accessing the Clearinghouse

Authorized employees of SDLAs must use their FMCSA Portal accounts to access the Clearinghouse. Portal accounts are user-specific, which means that anyone logging in to the Portal should have their own unique user ID and password; an SDLA may not allow multiple users to log in using the same Portal account. Review the information below to learn about the FMCSA Portal and how to register for an account, if needed.

If you already have an FMCSA Portal account but have not yet requested the Portal Clearinghouse user role, download the [Portal Clearinghouse User Role job aid](#).

You may [log in to the Clearinghouse](#) once you have an SDLA Portal account with the Clearinghouse Portal user role.

2.1 Authenticating Web Service Requests

All requests to the Clearinghouse's representational state transfer (REST) service will be secured using a JSON web token (JWT) and bearer authentication. The JWT will be generated by submitting valid Portal credentials to a REST endpoint or using a client certificate issued to an organization by the Clearinghouse.

2.1.1 **Deprecated: Generating a JWT with Portal Credentials**

As part of the migration to enforced MFA for all systems utilizing usernames and passwords, the ability to generate a JWT using FMCSA Portal credentials has been deprecated.

If you had been planning to make use of this method of obtaining a JWT, you should instead use the method outlined in 2.1.2 Generating a JWT Using a Client Certificate.

2.1.2 **Generating a JWT Using a Client Certificate**

SDLAs that wish to use this option will log in to the Clearinghouse web interface and generate access credentials. These credentials will consist of three parts:

1. A unique identifier for the issued credentials.
2. A certificate that will be used by FMCSA to verify that messages submitted by your service are coming from you.
3. A private key that pairs with this certificate.

Be sure to save your private key and keep it protected as you would an account password. FMCSA will not maintain a copy of your private key. If you lose it, you will need to generate new credentials.

2.1.2.1 **Creating the JWT**

When composing a request to the REST service, the client will need to generate a JWT with the following characteristics:

- Header must include the following claims:

- “alg” (Algorithm) – must use the RS256, RS384 or RS513 signing algorithm
- “typ” (Type) – must be set to JWT
- Payload must contain the following claims:
 - “nbf” (Not Before) – must be the current time or later with a 5 minute skew for clocks out of sync. The value must be provided as a Unix timestamp.
 - “exp” (Expiration) – must be no greater than 20 minutes after the “nbf” value and must not be in the past, plus a 5-minute skew for clocks out of sync. The value must be provided as a Unix timestamp.
 - “iss” (Issuer) – identifier for the credentials used to sign the token that has been issued by FMCSA in the generation process described in section 2.1.2.
- Must be signed using the private key generated in the process described in section 2.1.2 of this document.
- Payload may contain the following optional claim:
 - “sub” (Subject) – for tracking purposes, the client may pass a local identifier, which will be used to further identify actions performed by the service call. This value must be a URL encoded ASCII string with a maximum of 250 characters.

3 Retrieving Driver Status Data from FMCSA

FMCSA will provide a REST service to allow States to search for and retrieve driver status data from the Clearinghouse. The REST service will provide the ability to search for a driver or drivers by State and license number, prohibited status, and date of status change. Request and response bodies will use JavaScript Object Notation (JSON) formatting.

States will access the service using the credentials issued by FMCSA to generate a JWT and include this token in the request.

3.1 Endpoints

States may use the same or separate certificates to connect to the production and test endpoints. Both endpoints are accessible via the public internet and do not require any whitelisting for access.

- Production: <https://clearinghouse.fmcsa.dot.gov/api/>
- Test: <https://clearinghouse.fmcsa.dot.gov/api/test/> (see Section 5—Testing Your Connection)

3.2 JWT Inclusion

The JWT defined in 2.1 should be included in all service requests using the bearer authentication header. Specifically, a header should be included in the request with the key “Authorization” and value “Bearer <JWT Token>”.

3.2.1 Responses

The Clearinghouse web service will notify the client of success or error using the HTTP response codes as defined in Table 3-1. Request Response Codes.

Table 3-1. Request Response Codes

Code	Description
200	Request was processed successfully.
400	The format of the request was invalid. Details of the issue will be provided in a RFC 7807 compliant JSON response body.
401	Bearer JWT token was not found or was rejected. Details will be returned in the x-amzn-Remapped-WWW-Authenticate header.
403	User was authenticated but tried to access a resource to which they did not have permission.
404	Requested resource was not found. In the case detail action, this would indicate that no driver information was found for the supplied ID.
405	Incorrect verb was used when calling the action.
415	Content type header was excluded or not set to "application/json".
500	Internal server error. Details of the issue will be provided in a RFC 7807 compliant JSON response body.

3.2.2 Health Check

The current health of the Clearinghouse service can be queried by performing a GET request on the path "/api/Health". A response with a status code of 200 that begins with the text "healthy" indicates the service is healthy with network and database connectivity.

3.3 Driver Element

All successful requests to the Clearinghouse web service will return one or more (up to 100 at a time) driver elements.

Table 3-2. Driver Status Element

Attribute Name	Description	Requirements
Id	Unique identifier for this particular status change in the Clearinghouse	GUID in the format 00000000-0000-0000-0000-000000000000.
DriverId	Unique identifier for the driver in the Clearinghouse	GUID in the format 00000000-0000-0000-0000-000000000000.
Number	Number used to identify CDL or CLP issued by the SDLA.	Up to 25 characters in length.

Attribute Name	Description	Requirements
State	Country and subdivision code as defined in ISO 3166-2.	Up to 6 characters using a 2-character country code, a dash, and a locality code of up to 3 characters.
FirstName	Given name of the driver.	Up to 100 characters in length.
LastName	Surname of the driver.	Up to 100 characters in length.
DateOfBirth	Date in the ISO 8601 format, including dashes to separate the components.	YYYY-MM-DD
IsProhibited	Driver status within the Clearinghouse. 'true' if the driver is prohibited from driving due to an unresolved drug and alcohol program violation, otherwise 'false.'	true/false
StatusDate	Date and time the driver status went into effect in ISO 8601 format. Date/time will be expressed in coordinated universal time (UTC).	YYYY-MM-DDTHH:mm:ssZ Optional: between 0 and 6 digits of sub-second precision
Current	'true' if the returned record represents the driver's most recent status. 'False' indicates that the status has changed one or more times since the change represented by this event.	true/false
MarkedErroneousOn	Optional: If supplied, this is the date/time it was determined that the status change entry was based on an erroneous violation entry. In ISO 8601 format. Date/time will be expressed in coordinated universal time (UTC).	YYYY-MM-DDTHH:mm:ssZ Optional: between 0 and 6 digits of sub-second precision
NotificationSentOn	If supplied, this is the date/time when the Clearinghouse sent a push notification to the State indicating the status change had occurred. In ISO 8601 format. Date/time will be expressed in coordinated universal time (UTC).	YYYY-MM-DDTHH:mm:ssZ Optional: between 0 and 6 digits of sub-second precision

Attribute Name	Description	Requirements
Rescinds	<p>Optional: This element will contain the id values (see id attribute in this table) of previously-entered status changes that have been determined to be the result of erroneous data entry. A notification containing rescinded ids indicates that the State may need to reinstate a driver's commercial driving privilege or purge data from State systems. In these scenarios, we recommend that the State review the driver's full status history to determine the correct course of action.</p> <p>Note: The attribute that is excluded, the attribute present with an empty value assigned, and the attribute assigned an empty array should all be treated equivalently.</p>	An array of GUID values in the format 00000000-0000-0000-0000-000000000000.

3.3.1 Driver Information Source

When data is entered into the Clearinghouse, the driver's license information will be checked against the State of Record using the Commercial Driver's License Information System (CDLIS). Alias information returned by the state of record (SOR) will be used to merge new and old license values into a single internal driver record. The license number, name, and date of birth values returned will represent the CDL/CLP information associated with the driver that was most recently validated successfully.

3.3.2 Notification Dates

Historical driver status tracking is a new Clearinghouse feature being added to support the Clearinghouse-II final rule implementation. As a result, all notification values in the system will have an epoch of <TBD> and any driver with a notification date of <TBD> can be presumed to have received that status some time prior to that date.

If a state query is conducted against a CDL/CLP which is not yet recorded in the system, the Clearinghouse will conduct a new query and assign the driver status data with the current date and time.

3.4 Driver Status Requests

FMCSA is currently supporting the query of driver status using 4 search functions:

- Driver ID
- Country/subdivision and license number
- Country/subdivision and prohibited status

- Country/subdivision and status date

All 4 functions will return an array of driver elements as defined in Table 3-2. Driver Element. For searches by prohibited status and date, results will be returned 100 elements at a time. A search by country/subdivision and license number or driver ID will offer the option of retrieving either the driver’s current status or status history, depending on action used.

3.4.1 Search by Driver ID

A search by driver ID can be used to complement an email-based push notification or to quickly re-query a driver’s status once an ID has previously been obtained. A driver ID will never be re-used but may become inactive if the system identifies a second license number or set of license numbers which need to be merged into a single driver record. When this happens one of the driver records remains and the other is removed. A search by driver ID is guaranteed to return results for a single driver.

Table 3-3. Search by Driver ID Request Body

Attribute Name	Description	Requirements
DriverID	Unique identifier for the driver in the Clearinghouse	GUID in the format 00000000-0000-0000-0000-000000000000.

3.4.1.1 Paths

Driver search by Id can return the driver’s current status as well as their status history.

Current Value: Driver/ById/{DriverID}

History: Driver/History/ById/{DriverID}

3.4.2 Search by Country/Subdivision and License Number

A search by country/subdivision and license number is expected to return only a single driver record, as license number and State uniqueness are internally enforced.

Table 3-4. Search by Country/Subdivision and License Number Request Body

Attribute Name	Description	Requirements
Number	Number used to identify a CDL or CLP issued by the SDLA.	Up to 50 characters in length.
State	Country and subdivision code as defined in ISO 3166-2.	Up to 6 characters using a 2-character country code, a dash, and a locality code of up to 3 characters. Any code defined in ISO 3166-2:US, ISO 3166-2:CA, and ISO 3166-2:MX

3.4.2.1 Paths

Driver search by country/subdivision and number can return the driver's current status, as well as their status history.

Current Value: Driver/ByNumber/{State}/{Number}

History: Driver/History/ByNumber/{State}/{Number}

3.4.3 Search by Country/Subdivision and Prohibited Status

A search by country/subdivision and prohibited status is expected to return a listing of all drivers currently in a prohibited status. The results will be returned in a paged result set ordered by the date the driver status was changed to prohibited and then by driver ID.

Table 3-5. Search by State and Prohibited Status Request Body

Attribute Name	Description	Requirements
State	Country and subdivision code as defined in ISO 3166-2. Implementation will restrict access to only country subdivisions to which an organization has been granted access.	Up to 6 characters using a 2-character country code, a dash, and a locality code of up to 3 characters. ISO 3166-2:US code representing one of the 50 states or DC.
Page	Page number for the returned results were 1 is the number of the first page.	An integer value of 1 or more

3.4.3.1 Path

Driver/Prohibited/{State}/{Page}

3.4.4 Search by Country/Subdivision and Status Date

A search to return a listing of all driver status changes in a country/subdivision over a given period. The results will be returned in a paged result set ordered by the date the driver status was changed and then by driver id.

Table 3-6. Search by Country/Subdivision and Status Date Request Body

Attribute Name	Description	Requirements
State	Country and subdivision code as defined in ISO 3166-2. Implementation will restrict access to only country subdivisions to which an organization has been granted access.	Up to 6 characters using a 2-character country code, a dash, and a locality code of up to 3 characters. ISO 3166-2:US code representing one of the 50 states or DC.
NotificationDateFrom	Date and time of the driver status notification was created in ISO 8601 format. Date/time must be sent in UTC.	YYYY-MM-DDTHH:mm:ssZ Optional: between 0 and 6 digits of sub-second precision
NotificationDateTo	Date and time of the driver status notification was created in ISO 8601 format. Date/time will be expressed in UTC.	YYYY-MM-DDTHH:mm:ssZ Optional: between 0 and 6 digits of sub-second precision
Page	Page number for the returned results where 1 is the number of the first page.	An integer value of 1 or more

3.4.4.1 Endpoint

`Driver/ByDate/{State}/{StatusDateFrom}/{StatusDateTo}/{Page}`

3.5 Error Reporting

A function to allow an SDLA to submit an error report indicating they are not able to process a particular status change. Status changes which have errors will be flagged for manual follow-up.

Table 3-7. Error Submission Request Body

Attribute Name	Description	Requirements
StatusChangeId	Unique identifier for this status change event that could not be processed.	GUID in the format 00000000-0000-0000-0000-000000000000.
Type	High level category for the error event.	One of: <ul style="list-style-type: none"> InvalidFormat NotCurrentSOR InvalidDriver NotCDLCLPHolder Deceased Other

Description	Optional: Text description of the error.	String up to 1000 characters in length
-------------	--	--

3.5.1 Path

Driver/Status/Error

4 Receiving Data From FMCSA

The Clearinghouse will provide States with the ability to receive push notifications on driver status change. Notifications will be delivered using the Amazon Simple Notification Service (SNS). States will be able to register to receive notifications via email (JSON or text) or POST endpoints. All push mechanisms will require a confirmation step for use. This will involve accessing a link delivered via email or POST, depending on the push mechanism selected.

Note: push notifications will only be used to send status change notifications for drivers licensed in one of the 50 States or DC. Driver status may be queried for drivers in US territories, Mexico or Canada, but no status change push notifications will be sent for these drivers.

4.1 POST Endpoint

To receive machine-to-machine push notifications to a POST endpoint, States will need to supply a publicly accessible endpoint that is accessed over HTTPS. In addition, States may choose to implement basic or digest access authentication to secure the endpoint.

Once configured, there may be a required confirmation step before the endpoint can be activated.

4.1.1 Confirmation

To begin receiving push notifications, you must be able to respond to subscription confirmation messages by accessing the link from the attribute "SubscribeURL". This may be done either within the application or via a manual mechanism and will be required for each State topic.

4.1.1.1 Example

```
{
  "Type": "SubscriptionConfirmation",
  "MessageId": "769129a2-539d-4565-8455-f0587f03eed6",
  "Token":
  "2336412f37fb687f5d51e6e2425dacbba931e5f40e20eb015ee444dc9207cda1135670b4c720fa896ba92e55
  b95b19446517134e24c0d4cd6472f93d2d75d2b2a0880ceafeac21e13bb70ac0b7fac9432670777317f6bc492
  cc0cd56c5680bf0419fca83d8c09a676582329ccbdf6c441f04610096c598fab133fb5c63080eed",
  "TopicArn": "arn:aws:sns:us-east-1:423271844905:DACH-Dev-US-MA",
  "Message": "You have chosen to subscribe to the topic arn:aws:sns:us-east-1:423271844905:DACH-Dev-
  US-MA.\n\nTo confirm the subscription, visit the SubscribeURL included in this message.",
  "SubscribeURL": "https://sns.us-east-
  1.amazonaws.com/?Action=ConfirmSubscription&TopicArn=arn:aws:sns:us-east-1:423271844905:DACH-
  Dev-US-
  MA&Token=2336412f37fb687f5d51e6e2425dacbba931e5f40e20eb015ee444dc9207cda1135670b4c720fa8
  96ba92e55b95b19446517134e24c0d4cd6472f93d2d75d2b2a0880ceafeac21e13bb70ac0b7fac9432670777
  317f6bc492cc0cd56c5680bf0419fca83d8c09a676582329ccbdf6c441f04610096c598fab133fb5c63080eed",
  "Timestamp": "2022-06-27T16:19:30.559Z",
  "SignatureVersion": "1",
  "Signature":
  "ULFBcX7lJlPgwMWpiK/QDoAQAEZFyNPKRxlGyXC30sXvmA1fd7Ggabq+7pSDJOZt8afKaS/CFipypARLQL
  n/IGrcJHLb9whYiF8wFMWRXluKnEk2DV7NmyeaWEYpQyZfAAEn7yvsbmYfnYVr7JfPzTQ9yhsibfZuzvdiyBi
  H2/XPIN1w/Y5GqE1la4WR3T4XvAAk2KTJEhX+TqQuxEzN5KjvDer1HLE2uPeZH/xYKh0Jt0nKkT7CVcjbF
```

```

2pg09HKRiZg3/youPrboA5d6Ork24INPSRsOGBuEKFWATXhQe0N9MAUAWb3NGZ12QPjHuPj37d/HXpcTn
UB4v5GCTumg==",
"SigningCertURL": "https://sns.us-east-1.amazonaws.com/SimpleNotificationService-
7ff5318490ec183fbaddaa2a969abfda.pem"
}

```

Figure 4-1. Example subscription confirmation body

4.1.2 POST Body

A driver status change message will be delivered to a subscribed POST endpoint as the message body in JSON format. The message will consist of the attributes described in Tables 4-1 and 4-2.

Table 4-1. POST Endpoint Notification ([more information](#))

Attribute Name	Description	Requirements
Message	An encoded JSON string containing the attributes defined in Table 4-2.	String (JSON)
MessageId	A Universally Unique Identifier, unique for each message published. For a notification that Amazon SNS resends during a retry, the message ID of the original message is used.	GUID in the format 00000000-0000-0000-0000-000000000000.
Signature	Base64-encoded SHA1withRSA signature of the Message, MessageId, Subject (if present), Type, Timestamp, and TopicArn values. Details on how to verify the signature can be found in the SNS Developer's Guide	String
SignatureVersion	Version of the Amazon SNS signature used.	String
SigningCertURL	The URL to the certificate that was used to sign the message.	Url
Timestamp	The time (GMT) when the notification was published.	YYYY-MM-DDTHH:mm:SS.sssZ
TopicArn	The Amazon Resource Name (ARN) for the topic that this message was published to.	String in the format arn:aws:sns:<Region>:<AWS Account ID>:<Topic Name>:<Subscription ID>

Attribute Name	Description	Requirements
		<p>Region: typically be us-east-1 but could change in the event of catastrophic AWS failure</p> <p>Account ID: 423271844905</p> <p>Topic Name: will take the form DACH-Prod-<ISO 3166-2 State Code></p> <p>Subscription ID: unique id which identifies the specific user for this specific topic</p>
Type	The type of message. For a notification, the type is Notification.	Notification
UnsubscribeUrl	A URL that you can use to unsubscribe the endpoint from this topic. If you visit this URL, Amazon SNS unsubscribes the endpoint and stops sending notifications to this endpoint.	Url
MessageAttributes	List of message attributes containing the structured detailed data of the event.	Object as defined in Table 4-3

Table 4-2. POST Endpoint Message Body

Attribute Name	Description	Requirements
Id	Unique identifier for this particular status change in the Clearinghouse.	GUID in the format 00000000-0000-0000-0000-000000000000.
DriverId	Unique identifier for the driver in the Clearinghouse.	GUID in the format 00000000-0000-0000-0000-000000000000.
Number	Number used to identify CDL or CLP issued by the SDLA.	Up to 25 characters in length.
StateCode	<p>Country and subdivision code as defined in ISO 3166-2.</p> <p>Note: the initial releases version of the push service contains only the 2-character State code. This will be corrected in a future release.</p>	Up to 6 characters using a 2-character country code, a dash, and a locality code of up to 3 characters.
FirstName	Given name of the driver.	Up to 100 characters in length.

Attribute Name	Description	Requirements
LastName	Surname of the driver.	Up to 100 characters in length.
DateOfBirth	Date in the ISO 8601 format, including dashes to separate the components.	YYYY-MM-DD
IsProhibited	Driver status within the clearinghouse. 'True' if the driver is prohibited from driving due to an unresolved drug and alcohol program violation, otherwise 'false.'	true/false
StatusDate	Date and time the driver status went into effect in ISO 8601 format. Date/time will be expressed in coordinated universal time (UTC).	YYYY-MM-DDTHH:mm:SSZ Optional: between 0 and 6 digits of sub-second precision
Rescinds	<p>Optional: This element will contain the id values (see id attribute in this table) of previously-entered status changes that have been determined to be the result of erroneous data entry. A notification containing rescinded ids indicates that the State may need to reinstate a driver's commercial driving privilege or purge data from State systems. In these scenarios, we recommend that the State review the driver's full status history to determine the correct course of action.</p> <p>Note: The attribute that is excluded, the attribute present with an empty value assigned, and the attribute assigned an empty array should all be treated equivalently.</p>	An array of GUID values in the format 00000000-0000-0000-0000-000000000000.

Table 4-3. POST Endpoint Message Attributes

Attribute Name	Description	Requirements
Id	Unique identifier for this particular status change in the Clearinghouse.	GUID in the format 00000000-0000-0000-0000-000000000000.
DriverId	Unique identifier for the driver in the Clearinghouse.	GUID in the format 00000000-0000-0000-0000-000000000000.
IsProhibited	Driver status within the clearinghouse. 'True' if the driver is prohibited from driving due to an unresolved drug and alcohol program violation, otherwise 'false.'	true/false
StatusDate	Date and time the driver status went into effect in ISO 8601 format. Date/time will be expressed in coordinated universal time (UTC).	YYYY-MM-DDTHH:mm:ssZ Optional: between 0 and 6 digits of sub-second precision

4.1.2.1 Example

```
{
  "Type": "Notification",
  "MessageId": "c09e706b-ad61-56f6-9fd8-2b58761b830a",
  "TopicArn": "arn:aws:sns:us-east-1:423271844905:DACH-Dev-US-MA",
  "Message": "{\"Id\":\"fdf1c846-1690-4658-b446-80a2d5567b0b\",\"DriverId\":\"65ce3946-f3de-45c0-bf67-24516d176f62\",\"StatusDate\":\"2022-06-27T16:22:18.3604713Z\",\"IsProhibited\":true,\"Rescinds\":[],\"StateCode\":\"MA\",\"Number\":\"TEST123456789\",\"FirstName\":\"Test\",\"LastName\":\"User\",\"DateOfBirth\":\"1900-01-01\"}",
  "Timestamp": "2022-06-27T16:22:18.418Z",
  "SignatureVersion": "1",
  "Signature": "I4BtYrE06J7chZ3LyHOTW4sewQuBoa+2als+p5q4fQrkQcmTA1/jpUfuhgsh2rhQqht1cyGSRITsSjhT4Ecxc8+vKYdX4/Q4s+9V5vaCzAnsbjWxX5gFpwYD0vCuU4fVGmy5CQeE2luT+L/QITedRyTAIVs8DqufuKo4ylbuhmA6yEsof60O7bCnRU1/PtEhdnCpflqgMrNWKWuy2rEmK9nSxt/PZ6XMYCcKmGfyy5tljJF1qcdLjCWsM2YZljcp2UkhWzCIWHokqRuz4Z1I9ABiZqb9puSjxFTqFTBkJ9J1Obwggw39/dE7nWxueEXPMZn6skJLuCfUHSsZfmd2zw==",
  "SigningCertURL": "https://sns.us-east-1.amazonaws.com/SimpleNotificationService-7ff5318490ec183fbaddaa2a969abfda.pem",
  "UnsubscribeURL": "https://sns.us-east-1.amazonaws.com/?Action=Unsubscribe&SubscriptionArn=arn:aws:sns:us-east-1:423271844905:DACH-Dev-US-MA:4c287588-4165-4e5c-b266-62619e89378e",
  "MessageAttributes": {
    "DriverId": {
      "Type": "String",
      "Value": "65ce3946-f3de-45c0-bf67-24516d176f62"
    },
    "StatusDate": {
      "Type": "String",

```

```

    "Value": "2022-06-27T16:22:18.3604713Z"
  },
  "IsProhibited": {
    "Type": "String",
    "Value": "True"
  },
  "Id": {
    "Type": "String",
    "Value": "fdf1c846-1690-4658-b446-80a2d5567b0b"
  }
}
}
}

```

Figure 4-2. Example POST endpoint notification body

4.2 JSON Formatted Email

To receive machine-to-machine push notifications via email, States will need to supply an email address to FMCSA for subscription. Once configured, there may be a required confirmation step before the endpoint can be activated.

4.2.1 Confirmation

To begin receiving push notifications, you must be able to respond to subscription confirmation messages by accessing the link from the attribute “SubscribeURL”. This may be done either within the application or via a manual mechanism and will be required for each State topic.

```

{
  "Type": "SubscriptionConfirmation",
  "MessageId": "64a4f9c1-1027-4662-a273-895aaf681f86",
  "Token":
  "2336412f37fb687f5d51e6e2425dacbba931e5f40e20eb015eed004b14ef836fe119cfd427118ed8d4c5e70903c3501cb61b43769484a3419eb8acad8e68595cb65978a366429e9885c229f206b17194f3f2f1feece40a536b2b793528c4dd45548cf8fb955aed90c877fb99f779231972fc5e8b22b81274bb2409568f6b6f8",
  "TopicArn": "arn:aws:sns:us-east-1:423271844905:DACH-Dev-US-MA",
  "Message": "You have chosen to subscribe to the topic arn:aws:sns:us-east-1:423271844905:DACH-Dev-US-MA.\n\nTo confirm the subscription, visit the SubscribeURL included in this message.",
  "SubscribeURL": "https://gcc02.safelinks.protection.outlook.com/?url=https%3A%2F%2Fsns.us-east-1.amazonaws.com%2F%3FAction%3DConfirmSubscription%26TopicArn%3Darn%3Aaws%3Asns%3Aus-east-1%3A423271844905%3ADACH-Dev-US-MA%26Token%3D2336412f37fb687f5d51e6e2425dacbba931e5f40e20eb015eed004b14ef836fe119cfd427118ed8d4c5e70903c3501cb61b43769484a3419eb8acad8e68595cb65978a366429e9885c229f206b17194f3f2f1feece40a536b2b793528c4dd45548cf8fb955aed90c877fb99f779231972fc5e8b22b81274bb2409568f6b6f8&data=05%7C01%7Candrew.nagel%40dot.gov%7Cfe58b5be3bbd4052a3bc08da585789e9%7Cc4cd245b44f04395a1aa3848d258f78b%7C0%7C0%7C637919430252739423%7CUnknown%7CTWFPbGZsb3d8eyJWljoimc4wLjAwMDAilCJQljoiv2luMzliLcJBTiil6lk1haWwiLcJXVCl6Mn0%3D%7C3000%7C%7C%7C&data=0K2VzCEP1%2B1cehtSTggSgkk7Nbl3wXQH2PEtflRbnfA%3D&reserved=0",
  "Timestamp": "2022-06-27T16:10:19.247Z",
  "SignatureVersion": "1",
  "Signature":
  "QuJMiSgLxXPnf4umsYL0vO9030IXK9Be9m/HGSbHmoadysUmi2ZCW2apjwJc6i+n+fkN82Ro14kKMLsU2W7G1ds3iFaTJu+/e0X2/sqv2x3hV9iniD5J1NGr0dsQ5K+p+4duC8tJ8triYGIFc1U+luxx1lrf/qjm9wFhG8qfY/Hg0kGPLwZgMqpuqujmVk91Jix7E0YhmNhqyjLACICcFCbazAX56WN5n9ytwpH0T1T3nFVbVf9QndKanYCMcS3RfLkKtNuF0ps105rjAHmP/n3MERO6c5MfnxQW2HxUNIsd20bmYvAvur29sG9ydYQHVApY8tkdkDzPUC4C3eVtxA==",

```

```
"SigningCertURL": "https://gcc02.safelinks.protection.outlook.com/?url=https%3A%2F%2Fsns.us-east-1.amazonaws.com%2FSimpleNotificationService-7ff5318490ec183fbaddaa2a969abfda.pem&data=05%7C01%7Candrew.nagel%40dot.gov%7Cfe58b5be3bbd4052a3bc08da585789e9%7Cc4cd245b44f04395a1aa3848d258f78b%7C0%7C0%7C637919430252739423%7CUnknown%7CTWFPbGZsb3d8eyJWIjoiMC4wLjAwMDAiLCJQIjoiV2luMzliLCJBTiI6Ik1haWwiLCJXVCI6Mn0%3D%7C3000%7C%7C%7C&sdata=oxB2f%2FpYOpTn9vw5oN1G%2B19Jva6Yram3bDAWJZril1I%3D&reserved=0"
}
```

4.2.2 *Message Body*

A driver status change message will be delivered to this email with the message body in JSON format. The message will consist of the attributes described in Tables 4-3 and 4-4. Due to the inherently insecure nature of email communication, no PII will be delivered via this mechanism. States wishing to use email for push notifications will need to pair the push receipt with a call to the driver detail REST service.

Table 4-4 JSON Email Notification ([more information](#))

Name	Description	Requirements
Message	An encoded JSON string containing the attributes defined in Table 4-4.	String (JSON)
MessageId	A Universally Unique Identifier, unique for each message published. For a notification that Amazon SNS resends during a retry, the message ID of the original message is used.	GUID in the format 00000000-0000-0000-0000-000000000000.
Signature	Base64-encoded SHA1withRSA signature of the Message, MessageId, Subject (if present), Type, Timestamp, and TopicArn values. Details on how to verify the signature can be found in the SNS Developer's Guide	String
SignatureVersion	Version of the Amazon SNS signature used.	String
SigningCertURL	The URL to the certificate that was used to sign the message.	Url
Timestamp	The time (GMT) when the notification was published.	YYYY-MM-DDTHH:mm:SS.sssZ
TopicArn	The Amazon Resource Name (ARN) for the topic that this message was published to.	String
Type	The type of message. For a notification, the type is Notification.	Notification
UnsubscribeUrl	A URL that you can use to unsubscribe the endpoint from this topic. If you visit this URL, Amazon SNS unsubscribes the endpoint and stops sending notifications to this endpoint.	Url
MessageAttributes	List of message attributes containing the structured detailed data of the event.	Object as defined in Table 4-5

Table 4-5. JSON Email Message Body

Name	Description	Requirements
Id	Unique identifier for this status change in the Clearinghouse.	GUID in the format 00000000-0000-0000-0000-000000000000.
DriverId	Unique identifier for the driver in the Clearinghouse.	GUID in the format 00000000-0000-0000-0000-000000000000.
IsProhibited	Driver status within the Clearinghouse. 'True' if the driver is prohibited from driving due to an unresolved drug and alcohol program violation, otherwise 'false.'	true/false
StatusDate	Date and time the driver status went into effect in ISO 8601 format. Date/time will be expressed in coordinated universal time (UTC).	YYYY-MM-DDTHH:mm:ssZ
Rescinds	<p>Optional: This element will contain the id values (see id attribute in this table) of previously-entered status changes that have been determined to be the result of erroneous data entry. A notification containing rescinded ids indicates that the State may need to reinstate a driver's commercial driving privilege or purge data from State systems. In these scenarios, we recommend that the State review the driver's full status history to determine the correct course of action.</p> <p>Note: The attribute that is excluded, the attribute present with an empty value assigned, and the attribute assigned an empty array should all be treated equivalently.</p>	An array of GUID values in the format 00000000-0000-0000-0000-000000000000.

Table 4-6 JSON Email Message Attributes

Name	Description	Requirements
Id	Unique identifier for this status change in the Clearinghouse.	GUID in the format 00000000-0000-0000-0000-000000000000.
DriverId	Unique identifier for the driver in the Clearinghouse.	GUID in the format 00000000-0000-0000-0000-000000000000.
IsProhibited	Driver status within the clearinghouse. 'True' if the driver is prohibited from driving due to an unresolved drug and alcohol program violation, otherwise 'false.'	true/false
StatusDate	Date and time the driver status went into effect in ISO 8601 format. Date/time will be expressed in coordinated universal time (UTC).	YYYY-MM-DDTHH:mm:ssZ Optional: between 0 and 6 digits of sub-second precision

4.2.2.1 Example

```
{
  "Type": "Notification",
  "MessageId": "c09e706b-ad61-56f6-9fd8-2b58761b830a",
  "TopicArn": "arn:aws:sns:us-east-1:423271844905:DACH-Dev-US-MA",
  "Message": "{\"Id\":\"fdf1c846-1690-4658-b446-80a2d5567b0b\",\"DriverId\":\"65ce3946-f3de-45c0-bf67-24516d176f62\",\"StatusDate\":\"2022-06-27T16:22:18.3604713Z\",\"IsProhibited\":true,\"Rescinds\":[]}",
  "Timestamp": "2022-06-27T16:22:18.418Z",
  "SignatureVersion": "1",
  "Signature":
  "SVgrDb3eeG5vcWKhTrztfPpXaDr/Tf6PXKUCn/tKapZzinE7eocwazQhHV4KsFWUn2v26NCZalzuMytwJNU
  Qd5WzvwN3R1RWt6ZhoJX2kCEsmXdPntyzmNpZwmTpll1BEbQn+ba4EttcggJMU9Xjyl2WV/LRkiZlYrDZZw
  pfRv1z+uZXhJy+D1GpYcJ0KjWlvF5xR/Rw1pQGwZ/C5WS3pt0V7ugQvEkLi6gfRA1trkIBJnjPS+ylo0Dygalx
  PGNTjPxeJn/uXE/bROLp5E0v/gIP1RCGOWPXbYtDwf5ml/0K0szYHPInS5VhZ37+0G19CqKnGPR0jth5C
  U9auoQg==",
  "SigningCertURL": "https://gcc02.safelinks.protection.outlook.com/?url=https%3A%2F%2Fsns.us-east-
  1.amazonaws.com%2FSimpleNotificationService-
  7ff5318490ec183fbaddaa2a969abfda.pem&data=05%7C01%7Candrew.nagel%40dot.gov%7C9db216
  96ea734ac45f3808da58593659%7Cc4cd245b44f04395a1aa3848d258f78b%7C0%7C0%7C637919437424
  909292%7CUnknown%7CTWfPbGZsb3d8eyJWljoimc4wLjAwMDAiLCJQljoiv2luMzliLCJBTil6lk1haWwiLC
  JXVCI6Mn0%3D%7C3000%7C%7C%7C&data=s0OK70ws0ZUnr5x0jYqh9Dfv3C1f%2BZ1lou9TirE5J
  58%3D&reserved=0",
  "UnsubscribeURL": "https://gcc02.safelinks.protection.outlook.com/?url=https%3A%2F%2Fsns.us-east-
  1.amazonaws.com%2F%3FAction%3DUnsubscribe%26SubscriptionArn%3Darn%3Aaws%3Asns%3Aus-
  east-1%3A423271844905%3ADACH-Dev-US-MA%3Ae5d6adba-a6ea-4642-8fb3-
  e55eebe2de29&data=05%7C01%7Candrew.nagel%40dot.gov%7C9db21696ea734ac45f3808da58593
  659%7Cc4cd245b44f04395a1aa3848d258f78b%7C0%7C0%7C637919437424909292%7CUnknown%7CT
  WfPbGZsb3d8eyJWljoimc4wLjAwMDAiLCJQljoiv2luMzliLCJBTil6lk1haWwiLCJXVCI6Mn0%3D%7C3000
  %7C%7C%7C&data=HPCn%2Bkjl3uljy8bSCQOaGISONp7XLCu3hsr17v%2Bz4il%3D&reserved=
  0",
  "MessageAttributes": {
```

```

"DriverId": {
  "Type": "String",
  "Value": "65ce3946-f3de-45c0-bf67-24516d176f62"
},
"StatusDate": {
  "Type": "String",
  "Value": "2022-06-27T16:22:18.3604713Z"
},
"IsProhibited": {
  "Type": "String",
  "Value": "True"
},
"Id": {
  "Type": "String",
  "Value": "fdf1c846-1690-4658-b446-80a2d5567b0b"
}
}
}

```

Figure 4-3. Example JSON email notification body

4.3 Text Email

To receive machine-to-person push notifications via email, States will need to supply an email address to FMCSA for subscription. Once configured, there may be a required confirmation step before the endpoint can be activated.

4.3.1 Confirmation

To begin receiving push notifications, you must be able to respond to subscription confirmation messages by accessing the link labeled “Confirm Subscription”. This will be required for each State topic.

You have chosen to subscribe to the topic:
arn:aws:sns:us-east-1:423271844905:DACH-Dev-US-DC

To confirm this subscription, click or visit the link below (If this was in error no action is necessary):
 Confirm subscription

Figure 4-4. Example text email confirmation

4.3.2 Message Body

When a driver’s status changes, an email will be sent to confirmed addresses indicating the change has occurred. The email will include the date of the change, the ID of the driver, and a link State users can click to retrieve details of the driver record.

Note: The email body below is intended only as an example. The exact message sent with these notifications is intended for a human recipient and may change over time for improved clarity. If you wish to process these emails programmatically, please make use of the JSON formatted email, which will have a consistent format and content.

A driver's status has been changed in FMCSA's Drug and Alcohol Clearinghouse. This may require you to update their commercial driver's license (CDL) or commercial learner's permit (CLP) privileges.

Clearinghouse ID: 65ce3946-f3de-45c0-bf67-24516d176f62

Status changed on 06/27/2022 16:22:18 (UTC).

View the details of the driver's status at
<https://clearinghouse.fmcsa.dot.gov/SDLA/Driver/65ce3946-f3de-45c0-bf67-24516d176f62>.

Figure 4-5 Example test email notification body

5 Testing Your Connection

For States that will be connecting directly to the Clearinghouse, FMCSA provides different testing mechanisms depending on your connection method:

REST Service—a base set of test data has been pre-loaded to the test service endpoint for each State. These test cases are static and can be used at any time, without needing direct coordination with FMCSA. If States need additional specific test scenarios, they can send a request to the Clearinghouse SDLA inbox (SDLAClearinghouse@dot.gov).

Machine push services (POST endpoint, JSON email)—because these services require an action to be initiated within the Clearinghouse, testing must be coordinated with FMCSA. FMCSA can stage complimentary test data in the test REST service, but the act of pushing emails and POST messages must be initiated by the Clearinghouse team. States looking to utilize these services can reach out to FMCSA using the SDLA inbox (SDLAClearinghouse@dot.gov) to coordinate this testing.

Non-IT solutions (web portal and/or email notifications)—because these are process and not IT changes, the Clearinghouse does not offer a test version of these interfaces.

5.1 Example Test Data

To facilitate the testing process, FMCSA is providing a set of example test data, which will be pre-loaded for each State into the Clearinghouse test endpoint. These example test cases (noted by the assigned CDL number) cover the following scenarios:

- PROHIBITED – driver has a violation recorded in the Clearinghouse and has not completed the RTD process.
- NOTPROHOBITED – driver has not had any violations recorded in the Clearinghouse.
- REPROHIBITED – driver has completed their RTD test on a past violation, after which a new violation was entered into the Clearinghouse.
- RTDCOMPLETE7DAY – driver has a violation recorded in the Clearinghouse and completed their RTD test 7 days after the violation was entered.
- RTDCOMPLETE30DAY – driver has a violation recorded in the Clearinghouse and completed their RTD test 30 days after the violation was entered.
- RTDCOMPLETE90DAY – driver has a violation recorded in the Clearinghouse and completed their RTD test 90 days after the violation was entered.
- PROHIBITEDRESCINDED – driver had a violation entered into the Clearinghouse, which was deemed to be incorrectly entered and was subsequently removed by FMCSA.
- RESCINDEDSTILLPROHIBITED – driver has two violations entered into the Clearinghouse and the oldest of the two was deemed to be incorrectly entered and removed by FMCSA.
- TWORTDS – driver has a violation entered into the Clearinghouse, completed their RTD test, has a second violation entered into the Clearinghouse, and then completes a second RTD test.

See Appendix A for details.

5.2 Base Test Cases

At a minimum, FMCSA expects that States will test each of the following scenarios. Depending on how a State implements their solution, they will very likely need many more test scenarios, but these cover the broad use cases of the rule.

Table 5-1 FMCSA Test Cases

Scenario	Expected Result
Status check on a prohibited driver	State would not issue credential or endorsement.
Status check on a not prohibited driver	State would not be prohibited by the Clearinghouse from issuing the credential or endorsement.
State receives a message indicating a driver has received a new prohibition	Driver CDL must be downgraded within 60 days.
State receives a message indicating a previously prohibited driver is no longer prohibited (due to completing the RTD process)	Driver is now eligible to receive their previous credential.
State receives a message indicating a previous prohibition on a driver was based on erroneously reported data and the driver is no longer prohibited.	Driver should immediately have their previous credential restored.
State receives a message indicating a previous prohibition on a driver was based on erroneously reported data, but the driver is still prohibited due to other existing violations.	<p>If the downgrade process for the driver was already complete, then no action is required.</p> <p>If the downgrade process was not yet complete States may elect to continue the existing process or to restart the process using the receipt date of the new message as the start date of the downgrade process.</p>

Appendix A: Example Test Data

Example Driver Data

Number	First Name	Last Name	Date of Birth
RTDCOMPLETE7DAY	RTD	COMPLETE7DA	1995-03-13
TWORTDS	TWO	RTDS	2000-08-09
REPROHIBITED	RE	PROHIBITED	1989-04-23
PROHIBITTEDRESCINDED	PROHIBITED	REESCINDED	1999-06-30
NOTPROHIBITED	NOT	PROHIBITED	1999-01-10
RTDCOMPLETE30DAY	RTD	COMPLETE30DAY	1990-05-12
PROHIBITED	IS	PROHIBITED	1997-01-10
RTDCOMPLETE90DAY	RTD	COMPLETE90DAY	1997-01-23
RESCINDEDSTILLPROHIBITED	RESCINDED	STILLPROHIBITED	1994-07-25

Example Status Change Data

Number	Prohibited	Status Date	Notification Date	Marked Erroneous On
TWORTDS	Yes	2023-09-12 16:02:50	2023-09-12 16:02:50	
REPROHIBITED	Yes	2023-10-12 16:01:35	2023-10-12 16:01:35	
TWORTDS	No	2023-11-12 16:02:50	2023-11-12 16:02:50	
RTDCOMPLETE90DAY	Yes	2023-11-14 15:49:50	2023-11-14 15:49:50	
REPROHIBITED	No	2023-12-12 16:01:35	2023-12-12 16:01:35	

NOTPROHIBITED	No	2024-01-01 15:48:19	2024-01-01 15:48:19	
PROHIBITED	Yes	2024-01-01 15:48:59	2024-01-01 15:48:59	
PROHIBITEDRESCINDED	Yes	2024-01-01 15:53:31	2024-01-01 15:53:31	2024-02-12 15:54:13
RESCINDEDSTILLPROHIBITED	Yes	2024-01-01 15:54:43	2024-01-01 15:54:43	2024-02-12 15:55:20
REPROHIBITED	Yes	2024-01-12 16:01:35	2024-01-12 16:01:35	
TWORTDS	Yes	2024-01-12 16:02:50	2024-01-12 16:02:50	
RTDCOMPLETE30DAY	Yes	2024-01-13 15:51:22	2024-01-13 15:51:22	
RTDCOMPLETE7DAY	Yes	2024-02-05 15:52:17	2024-02-05 15:52:17	
RTDCOMPLETE90DAY	No	2024-02-12 15:49:50	2024-02-12 15:49:50	
RTDCOMPLETE30DAY	No	2024-02-12 15:51:22	2024-02-12 15:51:22	
RTDCOMPLETE7DAY	No	2024-02-12 15:52:17	2024-02-12 15:52:17	
PROHIBITEDRESCINDED	No	2024-02-12 15:54:13	2024-02-12 15:54:13	
RESCINDEDSTILLPROHIBITED	Yes	2024-01-03 15:55:20	2024-02-12 15:55:20	
RESCINDEDSTILLPROHIBITED	Yes	2024-02-12 15:55:20	2024-02-12 15:55:20	
TWORTDS	No	2024-02-12 16:02:50	2024-02-12 16:02:50	

Appendix B: Additional Resources

This section provides some of the resources and documents that are related to or referenced within this document, such as the Clearinghouse final rules.

- [FMCSA Portal](#)
- [Drug and Alcohol Clearinghouse](#)
- [Clearinghouse final rule](#)
- [Clearinghouse-II final rule](#)
- Guidance on developing JSON Web Tokens can be found at [JWT.io](#)
- Contact information for submitting questions and comments to the Clearinghouse Development Team: <https://clearinghouse.fmcsa.dot.gov/Contact>
- Amazon [Simple Notification Service Developer's Guide](#)
 - [Details on configuring an HTTPS endpoint](#)

Appendix C: References

Organization	Standard	Purpose
International Standards Organization (ISO)	ISO 3166-2	Used to define State codes in driver searches and search results.
	ISO 3166-2:US	List of subdivision codes used for US states and other subdivisions.
	ISO 3166-2:CA	List of subdivision codes used for Canadian provinces and other subdivisions.
	ISO 3166-2:MX	List of subdivision codes used for Mexican states and other subdivisions.
	ISO 8601	Format used for encoding dates
Internet Engineering Task Force	RFC 7797	Definition of the JSON Web Token used to authenticate requests.
	RFC 7807	Define standard error responses for REST API
	RFC 6750	Define details of bearer authentication process and error handling
	RFC 2617	Basic and Digest Authentication
	RFC 2616	HTTP verb and response code definitions

Federal Motor Carrier Safety Administration
1200 New Jersey Avenue, SE
Washington, DC 20590

855-368-4200
www.fmcsa.dot.gov

Drug and Alcohol Clearinghouse Technical Support

844-955-0207
<https://clearinghouse.fmcsa.dot.gov/contact>

John A. Volpe National Transportation Systems Center
220 Binney Street, Kendall Square



U.S. Department of Transportation
Federal Motor Carrier Safety Administration

Cambridge, MA 02142-1093

617-494-2000

www.volpe.dot.gov



U.S. Department of Transportation
Federal Motor Carrier Safety Administration